こばち
KOBACHI
HEAVY DUTY **LIFTING & HOISTING**
**JAPAN TECHNOLOGY**

# MINI SLING

PRODUCT CATALOGUE

**CV CITRA HARAPAN JAYA**
Jl. Mangga Dua Abdad, Komplek Rukan Mangga Dua Elok, Blok C No.12, Kota Jakarta Pusat, Daerah Khusus Ibukota Jakarta - 10730 | (021) 625 0149 / 625 0150

www.chj.co.id
+62 877 8016 2777

# FEATURES
## OF KOBACHI

**MOUNTING CLAMPS**
Easily fit hollow bars

**MOTOR WITH THERMAL PROTECTION**
Automatically disconnect power when the motor becomes overheated.




**DOUBLE CAPACITY MODE**
Easy set up with extra pulley hook

**UPPER / LOWER LIMIT SWITCH**

**TUV CERTIFIED EMERGENCY SWITCH**

**HEAVY DUTY WIRE ROPE**
4 times stronger

**RUBBER DISC**
Upper limit switch activator

**WEATHER-PROOF POWER CABLE & SWITCHES**
Extra safety and reliability

# KOBACHI MINI-ELECTRIC WIRE ROPE HOIST

Kobachi Mini-Electric Wire Rope Hoist is **compact and easy to set-up and use**. It adopts single-phase power and thus making it very practical and easily used anywhere

## APPLICATIONS:

- Suitable for workshops, material handling, industrial assembly lines and other small to medium industry needs.
- Also very ideal for household garages, small DIY workshops and warehouses where no three-phase power is available.

## IN BOX:

1. 1x Certificate
2. 1x Extra Hook
3. 1x Mounting Clamp Set

## SPECIFICATIONS

| MODEL | HOOK | VOLTAGE (v) | POWER (watt) | CAPACITY (Kg) | LIFTING SPEED (m/min) | LIFTING HEIGHT (m) | WIRE ROPE DIAMETER (mm) | PACKING SIZE (cm) | G/W / N/W | GROSS | ACTUAL WEIGHT (Include Box) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| PA- 250 | Single-hook<br>Double-hook | 220/230 | 550 | 125<br>250 | 8<br>4 | 20<br>10 | 3 | 38x32x25 | 13.5/12 | 13.5 | 11.15 |
| PA-500 | Single-hook<br>Double-hook | 220/230 | 1020 | 250<br>500 | 8<br>4 | 20<br>10 | 4 | 45x33x27 | 18.5/16.65 | 18.5 | 16.65 |
| PA-800 | Single-hook<br>Double-hook | 220/230 | 1300 | 400<br>800 | 8<br>4 | 20<br>10 | 5 | 45x33x27 | 22/19.1 | 22 | 18.9 |
| PA-1000 | Single-hook<br>Double-hook | 220/230 | 1600 | 500<br>1000 | 8<br>4 | 20<br>10 | 6 | 54x25x32 | 34/30.9 | 34 | 31.25 |
| PA-1200 | Single-hook<br>Double-hook | 220/230 | 1800 | 600<br>1200 | 8<br>4 | 20<br>10 | 6 | 54x25x32 | 35/31.9 | 35 | 31.9 |